


Oriental Cockroaches



Oriental cockroach,
female top, male
bottom.

Oriental cockroaches, *Blatta orientalis* L., are large, slow moving, shiny, black-colored insects. They are known by a variety of other common names including: *black beetles* or *water bugs*. Females are slightly larger than males, and have short wings. Both sexes are about 1 inch long. Males have wings and can fly, but rarely do so in California. Females cannot fly, the wings are simply too small.

Like other urban cockroaches, Oriental cockroaches have been transported by human commerce throughout the world. In situations around homes they are most commonly found in cool, damp areas, particularly in garages. During the summer months they can also become quite common under dense, shaded ground cover in yards, particularly under beds of ivy. However, these cockroaches are generally only found outside near areas where food and moisture is

available, particularly near where food is left outside for pets. Garages are commonly infested, particularly if pet food or other kinds of dried food are stored there or are left out for animals. It is uncommon for this cockroach to become a pest in the house. However, in regions with mild climates these roaches can develop large outdoor populations that spill indoors as well as into rural areas.

The best way to prevent infestation by Oriental cockroaches, or eliminate existing populations, is to remove all possible sources of food. Keep garages and yards clean, and make sure that any food stored in the garage is kept in plastic, glass or metal containers with tight fitting lids. Pets should not be fed in the yard or garage, or if they are then food should never be left out for any length of time.



Female oriental cockroach. Photo courtesy of Alex Wild, myrmecos.com.

For more information and additional information pages go to:

<http://bohart@ucdavis.edu>

Information pages available from the Bohart Museum of Entomology website

<http://bohart.ucdavis.edu/insect-information-sheets.html>

*The number after each name is the number of the Information

American cockroach – 11
Anise swallowtail – 25
Aphids – 4
Argentine Ants – 6
Bald-faced hornet – 48
Beneficial insects – 40
Black walnut borer – 41
Boxelder bugs – 9
Brown recluse – 24
Carpenter bees – 15
Carpet beetle – 28
Cellar spiders – 36
Clothes moth – 21
Darkling beetle – 33
Drugstore beetle - 54
Earwigs – 2
Fire ants – 19
Fleas – 32
Hay itch mites – 43

Hoplia beetle – 50
Horntail wasps – 17
House centipedes – 16
House dust mites – 45
House fly - 56
Indian meal moth – 29
Jerusalem crickets – 8
Jumping spiders – 12
Kissing bugs – 10
Lady bugs - 55
Leaf footed bug - 37
Lice – 7
Medially important mites –
44
Mold mites – 42
Monarch butterflies - 52
Noseum – 34
Orb weavers - 53
Oriental cockroach –27

Paper wasps - 47
Pipevine swallowtail – 20
Praying mantid – 26
Rat mite - 57
Sac spiders – 13
Scorpions – 22
Silverfish - 51
Sowbugs – 5
Spider bites – 18
Springtails – 14
Sun scorpions – 22
Termites – 3
Ticks – 30
Tomato hornworm – 31
Urban myths – 38
Widow spiders – 1
Wolf spiders – 35
Woolley aphids – 39
Yellow jackets – 49